L Number	Hits	Search Text	DB	Time stamp
-	675	(bandwidth or resource) near3 allocat$4 with server	USPAT; US-PGPUB	2003/01/28 13:22
-	218	((bandwidth or resource) near3 allocat$4 with server) and (@ad<19970530 or @prad<19970530)	USPAT; US-PGPUB	2003/01/28 13:23
-	45	((bandwidth or resource) near3 allocat$4 with server) with dynamic$4	USPAT; US-PGPUB	2003/01/28 13:23
-	84	((bandwidth or resource) near3 allocat$4 with server) same dynamic$4	USPAT; US-PGPUB	2003/01/28 13:23
-	27	(((bandwidth or resource) near3 allocat$4 with server) same dynamic$4) and (@ad<19970530 or @prad<19970530)	USPAT; US-PGPUB	2003/01/29 09:52
-	4	"dynamic bandwidth allocation" with server	USPAT; US-PGPUB	2003/01/28 14:01
-	19	"dynamic bandwidth allocation" and (allocat$4 with server)	USPAT; US-PGPUB	2003/01/29 09:50
-	4	5943046.URPN.	USPAT	2003/01/28 14:13
-	4	6055577.URPN.	USPAT	2003/01/28 14:16
-	67	(bandwidth adj allocat$4) with (number near5 users)	USPAT; US-PGPUB	2003/01/29 09:53
-	2588015	((bandwidth adj allocat$4) with (number near5 users)) (@ad<19970530 or @prad<19970530)	USPAT; US-PGPUB	2003/01/29 09:53
-	95	((bandwidth or resource) adj allocat$4) with (number near5 users)	USPAT; US-PGPUB	2003/01/29 09:54
-	30	(((bandwidth or resource) adj allocat$4) with (number near5 users)) and (@ad<19970530 or @prad<19970530)	USPAT; US-PGPUB	2003/01/29 09:54
-	967	((resource or bandwidth) adj allocat$4) with (according or based)	USPAT; US-PGPUB	2003/01/29 09:55
-	84	((resource or bandwidth) adj allocat$4) with (according or based) with ((number near4 user) or priority)	USPAT; US-PGPUB	2003/01/29 09:56
-	31	(((resource or bandwidth) adj allocat$4) with (according or based) with ((number near4 user) or priority)) and (@ad<19970530 or @prad<19970530)	USPAT; US-PGPUB	2003/01/29 09:56
-	1	(((bandwidth adj allocat$4) with (number near5 users)) and (@ad<19970530 or @prad<19970530)) and ((((bandwidth or resource) adj allocat$4) with (number near5 users)) and (@ad<19970530 or @prad<19970530)) and (((((resource or bandwidth) adj allocat$4) with (according or based) with ((number near4 user) or priority)) and (@ad<19970530 or @prad<19970530))	USPAT; US-PGPUB	2003/01/29 09:57
-	18	((bandwidth adj allocat$4) with (number near5 users)) and (@ad<19970530 or @prad<19970530)	USPAT; US-PGPUB	2003/01/29 10:02

-	12	((((bandwidth or resource) adj allocat$4) with (number near5 users)) and (@ad<19970530 or @prad<19970530)) not (((bandwidth adj allocat$4) with (number near5 users)) and (@ad<19970530 or @prad<19970530))	USPAT; US-PGPUB	2003/01/29 10:07
-	30	((((resource or bandwidth) adj allocat$4) with (according or based) with ((number near4 user) or priority)) and (@ad<19970530 or @prad<19970530)) not ((((bandwidth or resource) adj allocat$4) with (number near5 users)) and (@ad<19970530 or @prad<19970530)) not (((bandwidth adj allocat$4) with (number near5 users)) and (@ad<19970530 or @prad<19970530))	USPAT; US-PGPUB	2003/01/29 10:17

	L #	Hits	Search Text	DBs
1	L1	429	dynamic$4 near3 (bandwidth adj allocat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	29	server near3 (bandwidth adj allocat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	76	server near3 (bandwidth near2 allocat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	865	dynamic$4 near3 (bandwidth near2 allocat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L6	451	(3 or 4) and (@ad<19970530 or @prad<19970530)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L5	8	3 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	32	3 and (@ad<19970530 or @prad<19970530) not 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	905	((assign$4 or allocat$3) near3 bandwidth) with (customer or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	676	((assign$4 or allocat$3) near3 bandwidth) near5 (customer or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	17	9 with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	4	10 same (dynamic or priorit$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	155	9 same (dynamic or priorit$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
13	L13	288	9 and (@ad<19970530 or @prad<19970530) not 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L15	0	11 and (@ad<19970530 or @prad<19970530) not 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L14	3	10 and (@ad<19970530 or @prad<19970530) not 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L17	17	5802301.URPN.	USPAT
17	L16	62	12 and (@ad<19970530 or @prad<19970530) not 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB